TROPICAL CYCLONE 5 - DAYS OUTLOOK

Equator to 25S and 160E to 120W

Issue Time: 0400 UTC Wednesday 22nd February 2023. **Next Issue:** 0400 UTC Thursday 23rd February 2023.

Issued by: Tropical Cyclone Centre, RSMC, Nadi.

Existing Tropical Cyclones: Nil.

A low pressure system was analysed near 15.0S 172.0W (just to the south of Samoa) at 220000UTC today. It is expected to track west and lie between Vanuatu and Fiji by Monday. Likelihood of a tropical cyclone formation in the region in the next five days, till Monday 27th February 2023:

Thursday 23rd February

The potential for formation of a Tropical Cyclone in the region is **VERY LOW.**

16	0 1	65	170	175	180	-175	-170	-165	-160	-155	-150	-145	-140	-135	-130 -	-125	-120	-11
						6 												-5
200				N	ukunc	onu.			. Per	nrhyn			. Atu	ona				-10
					А	pia.	*	-	warrov	v		Taka	roa					-15
		100 C 0	'ila	. Na	adi		atopu . Niue		Aitut	CIT	. Pape	ete Herel	Hao heretu					-20
		. 0°				Fua'a	motu		, Rarot	onga	. Tubi	uai		Rikit	ea Pitcair	'n		-25
		LEGE	ND (Dif	ferent sha	ades and	figures in	ndicate t	he proba	bility of '	Fropical	Cyclone	Formatio	on)					- 30
		Very L	.ow < 5%		Low 5	20*•			Moderat	e:20 - 50 '	•		High: O	ver 50*•				- 35
			Z	n j											1500			- 40
			Me												Kilometres			

Friday 24th February

160	165	170	175	180	-175	-170	-165	-160 -	155	-150	-145	-140	-135	-130	-125	-120	-11
_					e c												-5
10° «			N	ukunc	onu.			. Pen	rhyn			. Atu	ona				-10
1				A	pia.			warrow			Taka	roa					-15
	4	'ila	N	t de		atopu . Niue	tapu	. Aituta		• Pape	ete Herel	Hao neretu					-20
					Fua'a	imotu		. Raroto		. Tubi	uai		Rikit	ea • Pitcaiı	rn		-25
	LEGE	ND (Diff	ferent sh	ades and	figures i	ndicate tl	he proba	bility of T	ropical	Cyclone	Formatio	on)					- 30
	Very L	.ow < 5%		Low 5	20*.			Moderate:	20 - 50 •	•		High:O	ver 50*•				- 35
		and the second s	n j														- 40
		M	\mathcal{D}								0			1500 Kilometres			5000


The potential for formation of a Tropical Cyclone in the region is **VERY LOW.**

Saturday 25th February

The potential for formation of a Tropical Cyclone in the region is **VERY LOW.**

1	60	165	170	175	180	-175	-170	-165	-160	-155	-150	-145	-140	-135	-130	-125	-120 -	-11
		- 				e e				а. С								-5
0.0	6			N	ukunc	onu.			. Per	nrhyn			. Atu	ona				10
	9	1			A	pia.	*		warrov	v		Taka	roa				-	15
	4	A Same	/ila	N	adi		atopu . Niue		Aitut	aki	• Pape	ete Herel	Hao heretu					-20
						Fua'a	motu		, Raro	tonga	. Tubi			Rikit	ea Pitcaiı	rn		-25
		LEG	ND (Dif	ferent sha	ades and	figures i	ndicate t	he proba	bility of '	Tropical	Cyclone	Formatio	on)				-	-30
		Very L	.ow < 5%		Low 5	- 20".			Modera	e:20 - 50 '	•		High:O	ver 50*•			_	
			-	r,														-40
			M	S								•			1500 Kilonetres		1	3000

Sunday 26th February



The potential for formation of a Tropical Cyclone in the region is **VERY LOW.**

Monday 27th February

The potential for formation of a Tropical Cyclone from the low pressure system currently being analysed to the south of Samoa is **LOW** and is expected to lie in the shaded region below. The potential for formation of a Tropical Cyclone in the region from another system is **VERY LOW**.

160	165	170	175	180	-175	-170	-165	-160	-155	-150	-145	-140	-135	-130	-125	-120	-115
																	-5
<u>5</u> X												т. 					-10
	3			A	oia.	Pago	Pag	o									-15
	2.4	/ila	N	adi					18.6	·							
			- 	1 A.	Nula		£				· · · · ·	1.5					-20
	100				Nuki	l'alo	га										
										1							-25
ine																	
	LEGE	ND (Different :	shad es and	figures indi	cate the prob	ability of T	ropical Cyc	lone Forma	tion)								-30
	Ve ry	Low < 5%	2	Low 5	-20*•			Mode ra	ate 20 -	50 ⁰ ∞		High: Ov	rer 50*•				
																	-35
		- Contraction	n -														
		2															-40
		rige									٥			1500			3000
		2												Kilometres			-45